



A D T

# CE EMC SUPPLEMENTARY REPORT

**REPORT NO.:** CE920926A14G

**MODEL NO.:** X-17A, X-17AV, SX-17A, SX-17

**RECEIVED:** Oct. 26, 2009

**ISSUED:** Oct. 27, 2009

**APPLICANT:** Associated Industries China, Inc.

**ADDRESS:** 10F, No. 15, Chi-Nan Rd., Sec. 1,  
Taipei, Taiwan, R. O. C.

**ISSUED BY:** Bureau Veritas Consumer Products Services  
(H.K.) Ltd., Taoyuan Branch

**LAB LOCATION:** No. 47, 14th Ling, Chia Pau Tsuen, Lin Kou  
Hsiang, Taipei Hsien 244, Taiwan

This supplementary report consists of 4 pages in total. It must be used together with the original test report and may be duplicated completely for legal use with the approval of the applicant. It should not be reproduced, except in full, without the written approval of our laboratory.



NVLAQ<sup>®</sup>  
LAB CODE: 200836-0



A D T

## Table of Contents

1	CERTIFICATION .....	3
2	GENERAL INFORMATION .....	4



A D T

## 1 CERTIFICATION

**PRODUCT:** 17" LCD Monitor  
**BRAND NAME:** AG neovo  
**MODEL NO.:** X-17A, X-17AV, SX-17A, SX-17  
**TEST ITEM:** R & D SAMPLE  
**APPLICANT:** Associated Industries China, Inc.  
**STANDARDS:** **EN 55022: 2006, Class B**      **EN 55024: 1998+A1:2001**  
                  **EN 61000-3-2: 2006**                    **+A2: 2003**  
                  **EN 61000-3-3: 1995+A1: 2001**    IEC 61000-4-2: 2001 ED.1.2  
                  **+A2: 2005**                                IEC 61000-4-3: 2006 ED.3.0  
  IEC 61000-4-4: 2004 ED.2.0  
  IEC 61000-4-5: 2005 ED.2.0  
  IEC 61000-4-6: 2006 ED.2.2  
  IEC 61000-4-8: 2001 ED.1.1  
  IEC 61000-4-11: 2004 ED.2.0

This report is issued as a supplementary report of **CE920926A14E**. This report shall be used combined together with its original report.

**PREPARED BY :** Kay Chen , **DATE:** Oct. 27, 2009  
( Kay Chen / Supervisor)

**APPROVED BY :** Kenny Meng , **DATE:** Oct. 27, 2009  
( Kenny Meng / Assistant Manager )

## 2 GENERAL INFORMATION

<b>PRODUCT</b>	17" LCD Monitor
<b>MODEL NO.</b>	X-17A, X-17AV, SX-17A, SX-17
<b>POWER SUPPLY</b>	DC 24V from Switching Power adapter Power cord: Non-shielded AC cable (1.8 m) Non-shielded DC cable (1.5 m) with one ferrite core
<b>DATA CABLE SUPPLIED</b>	Shielded D-Sub cable (1.8m) with two ferrite cores. Shielded DVI cable (1.8m) with one ferrite core Non-shielded S-Video cable (1.8m) with two ferrite cores Non-shielded Video cable (1.8m)

### NOTE:

1. This report is base on ADT report with Reference No.: CE920926A14E. The original report was issued by Advance Data Technology Corp. (ADT Corp.) on July 18, 2008. ADT Corp. is one of Bureau Veritas family and she has fully transferred all its test facilities, staffs & service system to Bureau Veritas Consumer Products Services (Hong Kong) Limited, Taoyuan Branch in 2008.
2. This report is issued for addition of model numbers for marketing differences only (as shaded area):

Brand	Model No.	Differences
AG neovo	X-170	For marketing distinction
	DR-17	
	X-17A	
	X-17AV	
	SX-17A	
	SX-17	

3. This report can only be accessed by any third party only after they obtain authorization from the applicant.

--- END ---